

# ROBUR S MAZZER®

# ROBURS


outstanding performance | advanced technology | sporty design



NAME VERSIONS PRODUCTION STARTS BREWING METHOD

ROBUR S AUTOMATIC and ELECTRONIC 2019 ESPRESSO

#### WHO IS IT FOR?



#### **HIGH VOLUME COFFEE SHOPS**

High-performance grinder for high-volume coffee shops

AVERAGE GRINDING SPEED 5g/1s @50Hz | 6g/1s @60Hz

#### WHERE DOES IT COME FROM?



BORN FROM THE **OLD ROBUR** 

GOLD STANDARD HEAVY DUTY COFFEE GRINDER produced since **2000** 

# MAIN FEATURES compared to previous Robur

### **NO CLUMPING**



#### **REDUCED RETENTION**

-52%

Thanks to improved geometries and new technical solutions Robur S reduces the coffee retention in the grinding chamber by 52%

#### WHAT DOES IT MEAN?

less purging needed when you change the grind setting

SAVE COFFEE SAVE TIME

coffee in the grinding chamber is fresh



**PRESERVE AROMAS** 





#### GRIND FLOW CONTROL SYSTEM

Get uniform coffee grounds in your portafilter and keep grounds from getting on the counter: use the innovative **GFC System** consisting of a removable aluminum outlet insert equipped with three interchangeable dampers.

Choose the best damper for you according to coffee origin and roast profile, weather conditions and barista's preferences.

#### **DAMPERS:**

**1.** Hybrid (factory fitted) 2. AntiClumping 3. AntiDust

#### GRIND FLOW CONTROL SYSTEM



have it your way



### **Grinding Chamber**



Access the grinding chamber to clean or to change the burrs quickly and with

NO LOSS OF GRIND SETTINGS




### **Grinding Chamber**



Access the grinding chamber to clean or to change the burrs quickly and with

NO LOSS OF GRIND SETTINGS

Remove 4 screws and you are in




### **Memory Track System**



MTS (Memory Track System) allows users to choose a number to

index a desired grind setting

Easy to set and easy to read



#### **Porta Filter Holder**



Universal Portafilter Holder Multi-adjustable system to fit most of the portafilters on the market

Regulate the holder in height and depth to center the flow of the grinds in your filter, or to gain more space in height for abundant doses



your bean's fresh roasted **flavor** 



Robur S is designed to **protect your coffee beans from temperature exposure**, preserving the aromas of your cup of coffee.

Even if the motor is kept constantly running beans stay safe from overheating.



your bean's fresh roasted **flavor** 



Robur S is designed to **protect your coffee beans from temperature exposure**, preserving the aromas of your cup of coffee.

Even if the motor is kept constantly running beans stay safe from overheating.



#### HOW?



**LOW RPM** - rotation per minute 420 RPM @50Hz - 500 RPM @60Hz

#### Low RPM benefits:

- Be gentle to your bean
- Keep grinding chamber cooler

### MAX SPEED (5g/1s @50Hz) with LOW RPM

is possible thanks to the Reduction Gear mechanism

your bean's fresh roasted **flavor** 



Robur S is designed to **protect your coffee beans from temperature exposure**, preserving the aromas of your cup of coffee.

Even if the motor is kept constantly running beans stay safe from overheating.



#### HOW?



#### **DESIGN**

head and body are kept separate to guarantee better dispersion of the heat of the motor

your bean's fresh roasted **flavor** 



Robur S is designed to **protect your coffee beans from temperature exposure**, preserving the aromas of your cup of coffee.

Even if the motor is kept constantly running beans stay safe from overheating.



### **NEW DESIGN**


sporty spirit impeccable quality

Beautiful die casting aluminum body, sleek lines

New stainless steel Grinds Catch Tray



New hopper lid gasket to isolate the beans from the external environment. It keeps humidity and temperature more stable inside the hopper



New aluminum knurled knob, functional and resistant







#### **19 LANGUAGES**


# ELECTRONIC CONTROL PANEL

# ERGONOMICALLY DESIGNED

Arabic, Chinese, English, Farsi, French, German, Greek, Hebrew, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portoguese, Russian, Spanish, Thai, Turkish

**ROBUR** S

MAZZER



 $(\mathcal{N})$  grinding statistics

🔑 alerts on service needs

ability to set up a max dose cap



#### **PROGRAMMABLE**

#### **NEW TRIPLE DOSE**

single, double, and triple dose buttons

MANUAL GRINDING mode

**PLAY / PAUSE** function to stop the grinder at any time

**EASY AND FAST TO SET** thanks to shortcuts and smart solutions



# PRE-TAP PAUSE

Programmable **PAUSE FUNCTION**in between grinding
Take the time to settle the coffee in
the portafilter and avoid coffee waste







Soft Motion dosing lever for barista ergonomics

#### **OLD ROBUR**

#### **NEW ROBUR S**

#### what's new?

- New sporty design
- -52% Retention
- No Clumping
- GFC | Grind Flow Control System
- New Electronic Control Panel in 19 languages
- IOT Features
- App
- 3rd dose
- Pause function
- Memory Track System
- Grinding Chamber Easy to Clean
- No loss of grind settings
- Portafilter holder
- Max dose cap
- Statistics
- Alerts



# CONICAL BURRS

BURRS: conical burrs 71mm


MATERIAL: steel

ROBUR S MAZZER






MODEL: 186 C | standard fitted



### **BURRS**

All the burrs are produced in our factory near **Venice** 













#### **WARNING**

Make sure you are using GENUINE
Mazzer burrs to guarantee the best
performance of the grinder

#### INTERNET OF THINGS

KEEP YOUR GRINDERS CONNECTED TO YOUR NETWORK



#### **IOT: BE CONNECTED**

Unlock new possibilities

Wherever you are, be connected to your grinder on your cloud.

Thanks to the internet-connectable platform data about your grinder is remotely easily accessible by barista, coffee roaster, business owner or service



#### **IOT: BE CONNECTED**


Unlock new possibilities

You'll be able to monitor any and all of your grinders' output, keep up with maintenance needs, and improve the quality of your coffee in a scientific way using data tracked by the grinder.









#### **TECH SPECS**

POWER:

**GRINDING ADJUSTMENT:** 

**GRINDING BURRS SPEED:** 

**BODY:** 

**NET WEIGHT:** 

**HOPPER CAPACITY:** 

**STANDARD EQUIPMENT:** 

800 Watt

stepless micrometrical

420 rpm (50Hz) | 500 rpm (60Hz)

aluminum die casting

28 kg

1,6 kg (3,5 lbs)

hand support for tamping, manual tamper

BURRS:

186C



## SECURITY FEATURES



#### **COLORS**

Pure white | Matt Black | Matt Gray | Silver | Polished Aluminum | Bright Red

**CERTIFICATIONS** (gray icons are certifications in the process of being released)





Thank you



MAZZER LUIGI Spa
Via Moglianese Gardigiano, 113
30037 Scorzè - Venezia - Italy
tel. +39 041 5830200 | fax +39 041 5830060
mazzer@mazzer.com | www.mazzer.com